



Waterequip Filtration Price List

Contents

<i>Filter Housings</i>	2
<i>Sediment Polyspun Filters</i>	3
<i>Carbon Block Filters</i>	5
<i>POU / Inline Filters</i>	6
<i>Empty Cartridge Cannisters</i>	7
<i>PVC Cluster Housings</i>	8
<i>Stainless Steel Cluster Filter Housings</i>	9
<i>PVC Bag Filter Housings Stainless Steel</i>	10
<i>Stainless Steel Bag Filter Housings</i>	10
<i>Bag Filters</i>	11
<i>Softener/Media Filter Valves</i>	12
<i>FRP Pressure Vessel Tanks</i>	16
<i>Distributors - Riser Pipes</i>	16
<i>Hub & Laterals</i>	17
<i>Brine Tanks & Accessories</i>	18
<i>RO Systems and Accessories</i>	19
<i>Media</i>	20
<i>Accessories</i>	21



Cartridge Filter Housings

Waterequip filter housings are manufactured from the highest quality, constructed of reinforced polypropylene (PP), acrylonitrile butadiene styrene (ABS) and polycarbonate (PC). They are 100% food grade with EPDM O'Rings and are ideal for use in RO and filtration systems. They are commonly used in the industrial and commercial industry in fields such as irrigation, farm, food and medicine. The Waterequip housings are commonly used for domestic applications and fit most standard 10" and 20" filter cartridges.

Operating Data

Working pressure : 150PSI (Residential Housings 120PSI)

Max temperature : 50°C

Testing Data

Bursting pressure: 525PSI

Cycle Test : 0-150PSI, 100,000 cycles



Residential Filter Housings

WESDCH-10006	10" Standard Diameter Clear Housing, Single O'Ring with 1/4" Ports
WESDH-10020	10" Standard Diameter Blue Housing with 3/4" Ports & Pressure Relief Valve
WESDH-20020	20" Standard Diameter Blue Housing with 3/4" Ports & Pressure Relief Valve



Large Diameter Big Blue Filter Housings

WEBBH-10025	10" Large Diameter Big Blue Housing with 1" Ports & Pressure Relief Valve, Bracket & Spanner
WEBBH-20025	20" Large Diameter Big Blue Housing with 1" Ports & Pressure Relief Valve, Bracket & Spanner
WEBBH-20040	20" Large Diameter Big Blue Housing with 1 1/2" Ports & Pressure Relief Valve, Bracket & Spanner



Stainless Steel Filter Housings

WESDH-SS-10020	10" Standard Diameter Housing Stainless Steel 316 c/w 3/4" Ports
WESDH-SS-20025	20" Standard Diameter Housing Stainless Steel 316 c/w 1" Ports



Spares

WEBRACKETSD1	Bracket to suit Standard Diameter Housing
WEBRACKETSD2	Double Bracket to suit Standard Diameter Housing
WEBRACKETSD3	Triple Bracket to suit Standard Diameter Housing
WEBRACKETBB1	Bracket To Suit Large Diameter Big Blue Housing
WEBRACKETBB2	Double Bracket To Suit Large Diameter Big Blue Housing
WEBRACKETBB3	Triple Bracket To Suit Large Diameter Big Blue Housing
WESPANNER	Spanner To Suit Large Diameter Big Blue Housing
WEBBORING	O'Ring To Suit Large Diameter Big Blue Housing



WEECHSD10	10" Empty Cartridge Housing
WEECHSD20	20" Empty Cartridge Housing
WEECHBB10	10" Empty Cartridge Housing Big Blue
WEECHBB20	20" Empty Cartridge Housing Big Blue



Melt Blown Filter Cartridges

Waterequip's melt blown filter cartridges are self-bonded and structured with 3 different layers of fiber, thinner and tighter on the inside through to thicker on the outside. This unique design provides better dirt holding capacity and improved filtration, thus prolonging service life and lower operating costs. Our own inhouse/field " Silt Density Indicator " (SDI) tests have shown superior results than that of other filters purchased in Australia. Waterequip imports quality filters, keeping margins low, thus offering a superior product at the best possible price.

Features

- # 100% Pure polypropylene construction
- # Wide chemical compatibility
- # No lubricant or anti-static additives
- # Higher dirt holding capacity
- # Consistent filtration over the life of the cartridge
- # Low pressure drop & fits standard housings

Applications

- # Residential & commercial water treatment
- # Fine chemical, reagents, solvents, resins
- # Reverse osmosis pretreatment
- # Food & beverage, pharmaceutical
- # Make-up water

Specifications

- # Outside diameter : 62mm, 63mm, 65mm, 115mm
- # Inner diameter : 28mm, 30mm
- # Micron rating (nominal) : 1, 5, 10, 20, 30, 50, 70, 100 Micron
- # Filter Media : Polypropylene
- # Maximum Operating Temperature Rating : 52°C



Poly Spun Filters

WEPSF-1001	10" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 1 Micron
WEPSF-1005	10" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 5 Micron
WEPSF-1010	10" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 10 Micron
WEPSF-1020	10" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 20 Micron
WEPSF-1030	10" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 30 Micron
WEPSF-1050	10" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 50 Micron

WEPSF-2001	20" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 1 Micron
WEPSF-2005	20" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 5 Micron
WEPSF-2010	20" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 10 Micron
WEPSF-2020	20" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 20 Micron
WEPSF-2030	20" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 30 Micron
WEPSF-2050	20" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 50 Micron

WEPSF-3001	30" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 1 Micron
WEPSF-3005	30" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 5 Micron
WEPSF-3010	30" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 10 Micron
WEPSF-3020	30" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 20 Micron
WEPSF-3030	30" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 30 Micron
WEPSF-3050	30" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 50 Micron

WEPSF-4001	40" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 1 Micron
WEPSF-4005	40" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 5 Micron
WEPSF-4010	40" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 10 Micron
WEPSF-4020	40" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 20 Micron
WEPSF-4030	40" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 30 Micron
WEPSF-4050	40" Standard Diameter Dual Gradient Density Polyspun Sediment Filter 50 Micron

WEPSF-BB-1001	10" Large Diameter Dual Gradient Density Polyspun Sediment Filter 1 Micron
WEPSF-BB-1005	10" Large Diameter Dual Gradient Density Polyspun Sediment Filter 5 Micron
WEPSF-BB-1010	10" Large Diameter Dual Gradient Density Polyspun Sediment Filter 10 Micron

WEPSF-BB-2001	20" Large Diameter Dual Gradient Density Polyspun Sediment Filter 1 Micron
WEPSF-BB-2005	20" Large Diameter Dual Gradient Density Polyspun Sediment Filter 5 Micron
WEPSF-BB-2010	20" Large Diameter Dual Gradient Density Polyspun Sediment Filter 10 Micron



String Wound Filter Cartridge

Waterequip's string wound filter cartridges are structured loose outer layers and tight inner layers which can offer true depth filtration for high dirt holding capacity and extremely low media migration to ensure temperature and chemical compatibility./ The biggest advantage of the string wound filter cartridge is its exceptionally high structural strength, therefore, it can withstand severe operating conditions.

Features

- # Fits all the standard housings
- # Low pressure drop, high dirt holding capacity and long service life
- # Loose outer layers and tight inner layers offer effective depth filtration
- # Various filter media fit with various applications

Applications

- # Food & beverage
- # Semiconductor
- # Pharmaceuticals

Specifications

- # Outside Diameter : 55mm, 61mm, 63mm, 65mm, 115mm
- # Inner Diameter : 28mm, 30mm
- # Micron Rating (nominal) : 1, 5, 10, 20, 30, 50, 70, 100 Micron
- # Filter Media : Polypropylene, Cotton, Glass Fibre
- # Polypropylene material for non-organic solvent , maximum operating temperature < 60°C
- # Solvent, beverage, pharmaceuticals, maximum operating temperature : 120°C
- # Length : 5", 10", 20", 30", 40"
- # Bleached cotton material filter cartridge with stainless core apply to organic solvent, water, oil, alkalinity



String Wound Filters

WESWF-1001	10" Standard Diameter String Wound Sediment Filter 1 Micron
WESWF-1005	10" Standard Diameter String Wound Sediment Filter 5 Micron
WESWF-1010	10" Standard Diameter String Wound Sediment Filter 10 Micron
WESWF-1020	10" Standard Diameter String Wound Sediment Filter 20 Micron
WESWF1050	10" Standard Diameter String Wound Sediment Filter 50 Micron
WESWF10100	10" Standard Diameter String Wound Sediment Filter 100 Micron

WESWF-2001	20" Standard Diameter String Wound Sediment Filter 1 Micron
WESWF-2005	20" Standard Diameter String Wound Sediment Filter 5 Micron
WESWF-2010	20" Standard Diameter String Wound Sediment Filter 10 Micron
WESWF-2020	20" Standard Diameter String Wound Sediment Filter 20 Micron
WESWF-2050	20" Standard Diameter String Wound Sediment Filter 50 Micron
WESWF-20100	20" Standard Diameter String Wound Sediment Filter 100 Micron

WESWF-BB-1001	10" Large Diameter String Wound Sediment Filter 1 Micron
WESWF-BB-1005	10" Large Diameter String Wound Sediment Filter 5 Micron
WESWF-BB-1010	10" Large Diameter String Wound Sediment Filter 10 Micron
WESWF-BB-2001	20" Large Diameter String Wound Sediment Filter 1 Micron
WESWF-BB-2005	20" Large Diameter String Wound Sediment Filter 5 Micron
WESWF-BB-2010	20" Large Diameter String Wound Sediment Filter 10 Micron

WESWF-3001	30" Standard Diameter String Wound Sediment Filter 1 Micron
WESWF-3005	30" Standard Diameter String Wound Sediment Filter 5 Micron
WESWF-3010	30" Standard Diameter String Wound Sediment Filter 10 Micron
WESWF-3020	30" Standard Diameter String Wound Sediment Filter 20 Micron
WESWF-3050	30" Standard Diameter String Wound Sediment Filter 50 Micron
WESWF-30100	30" Standard Diameter String Wound Sediment Filter 100 Micron

WESWF-4001	40" Standard Diameter String Wound Sediment Filter 1 Micron
WESWF-4005	40" Standard Diameter String Wound Sediment Filter 5 Micron
WESWF-4010	40" Standard Diameter String Wound Sediment Filter 10 Micron
WESWF-4020	40" Standard Diameter String Wound Sediment Filter 20 Micron
WESWF-4050	40" Standard Diameter String Wound Sediment Filter 50 Micron
WESWF-40100	40" Standard Diameter String Wound Sediment Filter 100 Micron



Activated Carbon Filter Cartridge

Waterequip's sintered/extruded carbon block filter cartridges (CTO) use high - density activated carbon and exclusive inert adhesives as the main materials of construction. The large granular surface area has a tremendous capacity to remove chlorine, unpleasant odours, colours, as well as spores and microorganisms. The unique manufacturing techniques and material of the highest quality guarantee excellent durability, minimal pressure loss and high filtration rate. CTO filter element is made of coconut shell GAC which has a better filtration effect upon chemicals.

Features

- # Reduce chlorine, bad taste, odours
- # No release of carbon fines
- # Low pressure drop activated

Specifications

- # Outside diameter : 70mm, 115mm
- # Inner diameter : 28mm
- # Length : 5", 9-7/8", 20", 30", 40"
- # Micron Rating (nominal) : 1, 5, 10 Micron
- # Filter media: Acid washed bituminous GAC & water washed coconut shell GAC, manufactured in a "block format" for maximum carbon volume - suits standard and BB type filter housings
- # Maximum pressure : 40PSI
- # End Cap : Polypropylene
- # Gasket : PVC
- # Netting : Polypropylene




WECB-1001	10" Standard Diameter Carbon Block Filter 1 Micron
WECB-1005	10" Standard Diameter Carbon Block Filter 5 Micron
WECB-1010	10" Standard Diameter Carbon Block Filter 10 Micron

WECB-2001	20" Standard Diameter Carbon Block Filter 1 Micron
WECB-2005	20" Standard Diameter Carbon Block Filter 5 Micron
WECB-2010	20" Standard Diameter Carbon Block Filter 10 Micron

WECB-BB-1001	10" Large Diameter Carbon Block Filter 1 Micron
WECB-BB-1005	10" Large Diameter Carbon Block Filter 5 Micron
WECB-BB-1010	10" Large Diameter Carbon Block Filter 10 Micron

WECB-BB-2001	20" Large Diameter Carbon Block Filter 1 Micron
WECB-BB-2005	20" Large Diameter Carbon Block Filter 5 Micron
WECB-BB-2010	20" Large Diameter Carbon Block Filter 10 Micron



ACIC Series Filter Cartridge

The powdered activated carbon impregnated cellulose filter cartridges are the composite combine of the performance of depth filtration and adaption of activated carbon fine. The outside deep fibre media can remove particles and the activated carbon in each filter cloth can absorb the smell, odour, sediment, pigment, VOC and organic chemicals. The inside fibre filter can prevent carbon particles and fine pollutants to pass through, ensuring the efficient quality and integrated filtration.

Features

- # Nominal 10 particle removal rating
- # Absorption of organic substances by activated
- # Solution of photograph developing
- # Solution to remove oil & aromatic
- # Filtration & absorption finished in one time process

Application

- # Plating solution
- # Removing dissociative chlorine & volatile organic compounds (VOC) in solution
- # Drinking water & RO pure water treatment
- # Remove smell, odour, organic pigment
- # Remove organic chemical

Specifications

- # Outside Diameter : 58mm - 112mm
- # Inside Diameter : 28mm
- # Length : 127mm - 762mm



WEACIC-1005	10" Standard Diameter Powdered Activated Carbon Filter 5 Micron
WEACIC-1010	10" Standard Diameter Powdered Activated Carbon Filter 10 Micron
WEACIC-2005	20" Standard Diameter Powdered Activated Carbon Filter 5 Micron
WEACIC-2010	20" Standard Diameter Powdered Activated Carbon Filter 10 Micron
WEACIC-BB-1005	10" Large Diameter Powdered Activated Carbon Filter 5 Micron
WEACIC-BB-1010	10" Large Diameter Powdered Activated Carbon Filter 10 Micron
WEACIC-BB-2005	20" Large Diameter Powdered Activated Carbon Filter 5 Micron
WEACIC-BB-2010	20" Large Diameter Powdered Activated Carbon Filter 10 Micron

In-Line Filter Cartridges

Post in-line filters filled with coconut shell carbon are designed to reduce unwanted odour, taste and chlorine. The choice of polypropylene media used for sediment removal. In-line filters are an ideal choice of final polishing in home reverse osmosis drinking water systems, ice makers, as well as food service applications. Waterequip's GAC In-line filters comply with NSF standard.

Features

- # Efficient removal of chlorine & organic chemicals
- # Improvement in the taste of the water
- # Installation eliminates the need for additional filter housing
- # Competitively priced carbon filters
- # Ideal for residential & commercial applications
- # All in-line filters include a "pre" & "post" filter

Application

- # Pre & post RO
- # Refrigerator/Ice maker
- # Drinking water purity

Specification

- # Inlet & Outlet : ¼" or Quick Connect
- # Dimensions : OD 2", 2½" Length 6", 10", 12"
- # Media : Coconut Activated Carbon, polypropylene melt blown, hollow fibre membrane



WET33-GAC-1020	T-33 In-line GAC Filter Cartridge 10" x 2"
WET33-PPF-1020	T-33 In-line PP Filter Cartridge 10" x 2"
WET33-MNF-1020	T-33 In-line Mineral Filter Cartridge 10" x 2"
WET33-MNF-1020C	T-33 In-line Mineral Filter Cartridge 10" x 2", Clear Type
WET33-MLM-1020	T-33 In-line Multi Layered Medium Filter Cartridge 10" x 2"
WET33-ESF-1020	T-33 In-line Energy Stone Filter Cartridge 10" x 2"
WET33-GAC-1225	T-33 In-line GAC Filter Cartridge 12" x 2½"
WET33-PPF-1225	T-33 In-line PP Filter Cartridge 12" x 2½"
WET33-UF-1225	T-33 In-line UF Cartridge 12" x 2½"

Big Blue Pleated Filter Cartridge

Waterequip's Big Blue Filter Cartridges are made of pleated polyester filter media for low pressure drop, increased surface area and longer life.

Features

- # Pleated design, increased surface area and contaminant removal
- # Longer filtration runs for fewer change-out & less maintenance
- # Low pressure Drop
- # Designed for general water filtration purposes
- # Long lengths have netting to hold pleats in place

Specifications

- # Outside Diameter : 4½"
- # Inside Diameter : 1-1/16"
- # Centre Core : Polypropylene
- # Micron Rating : 0.5, 1, 5, 10, 20, 50 Micron
- # Filter Media : Polyester
- # Temperature Range : 60°C
- # Maximum Pressure : 40PSI



WEPF-BB-10.05	10" Large Diameter Big Blue Pleated Filter Cartridge 0.5 Micron
WEPF-BB-1001	10" Large Diameter Big Blue Pleated Filter Cartridge 1 Micron
WEPF-BB-1005	10" Large Diameter Big Blue Pleated Filter Cartridge 5 Micron
WEPF-BB-1010	10" Large Diameter Big Blue Pleated Filter Cartridge 10 Micron
WEPF-BB-1020	10" Large Diameter Big Blue Pleated Filter Cartridge 20 Micron
WEPF-BB-1050	10" Large Diameter Big Blue Pleated Filter Cartridge 50 Micron
WEPF-BB-20.05	20" Large Diameter Big Blue Pleated Filter Cartridge 0.5 Micron
WEPF-BB-2001	20" Large Diameter Big Blue Pleated Filter Cartridge 1 Micron
WEPF-BB-2005	20" Large Diameter Big Blue Pleated Filter Cartridge 5 Micron
WEPF-BB-2010	20" Large Diameter Big Blue Pleated Filter Cartridge 10 Micron
WEPF-BB-2020	20" Large Diameter Big Blue Pleated Filter Cartridge 20 Micron
WEPF-BB-2050	20" Large Diameter Big Blue Pleated Filter Cartridge 50 Micron



Membrane Pleated Filter Cartridge

Waterequip's Polypropylene Pleated Filter High Precision Cartridge is constructed of micro polypropylene media and non woven or silf net support. Adaptors are thermal welded with cartridges without using any glue on it so there will be no possibilities to cause the second pollution.

Features


- # High surface area design provides superior flow rate & high dirt holding capacity
- # Low pressure drop & long service life
- # Using 100% virgin polypropylene media with extensive applications

Applications

- # Food, beverage, semiconductor, pharmaceutical
- # Solvents, acid, ink pre-filtration for RO & bottled water

Specifications

- # Outside diameter : 70mm
- # Inner Diameter : 28mm
- # Length : 10", 20", 30", 40"
- # Micron Rating (nominal) : 0.1um, 0.22um, 0.45um, 1um, 3um, 5um, 10um, 20um
- # Filter media : Polypropylene
- # Filtration Area : 0.5-0.7m²/ 10"
- # Operating Temperature : 80°C , 0.1Mpa
- # Operation pressure : 50°C Back , 0.3Mpa
- # Pressure difference : 0.28Mpa, 25°C
- # End Caps : DOE, -222 Flat, -222 Fin, -226 Flat, -222Fin & other special size
- # Seals : EPDM, EPR, Silicone, Viton, Teflon



WEMPPF-10.01	10" Polypropylene Pleated Filter Cartridge 0.1 Micron
WEMPPF-10.22	10" Polypropylene Pleated Filter Cartridge 0.22 Micron
WEMPPF-10.45	10" Polypropylene Pleated Filter Cartridge 0.45 Micron
WEMPPF-1001	10" Polypropylene Pleated Filter Cartridge 1 Micron
WEMPPF-1005	10" Polypropylene Pleated Filter Cartridge 5 Micron
WEMPPF-1010	10" Polypropylene Pleated Filter Cartridge 10 Micron
WEMPPF-1020	10" Polypropylene Pleated Filter Cartridge 20 Micron
WEMPPF-1050	10" Polypropylene Pleated Filter Cartridge 50 Micron



WEMPPF-20.01	20" Polypropylene Pleated Filter Cartridge 0.1 Micron
WEMPPF-20.22	20" Polypropylene Pleated Filter Cartridge 0.22 Micron
WEMPPF-20.45	20" Polypropylene Pleated Filter Cartridge 0.45 Micron
WEMPPF-2001	20" Polypropylene Pleated Filter Cartridge 1 Micron
WEMPPF-2005	20" Polypropylene Pleated Filter Cartridge 5 Micron
WEMPPF-2010	20" Polypropylene Pleated Filter Cartridge 10 Micron
WEMPPF-2020	20" Polypropylene Pleated Filter Cartridge 20 Micron
WEMPPF-2050	20" Polypropylene Pleated Filter Cartridge 50 Micron

WEMPPF-30.01	30" Polypropylene Pleated Filter Cartridge 0.1 Micron
WEMPPF-30.22	30" Polypropylene Pleated Filter Cartridge 0.22 Micron
WEMPPF-30.45	30" Polypropylene Pleated Filter Cartridge 0.45 Micron
WEMPPF-3001	30" Polypropylene Pleated Filter Cartridge 1 Micron
WEMPPF-3005	30" Polypropylene Pleated Filter Cartridge 5 Micron
WEMPPF-3010	30" Polypropylene Pleated Filter Cartridge 10 Micron
WEMPPF-3020	30" Polypropylene Pleated Filter Cartridge 20 Micron
WEMPPF-3050	30" Polypropylene Pleated Filter Cartridge 50 Micron

WEMPPF-40.01	40" Polypropylene Pleated Filter Cartridge 0.1 Micron
WEMPPF-40.22	40" Polypropylene Pleated Filter Cartridge 0.22 Micron
WEMPPF-40.45	40" Polypropylene Pleated Filter Cartridge 0.45 Micron
WEMPPF-4001	40" Polypropylene Pleated Filter Cartridge 1 Micron
WEMPPF-4005	40" Polypropylene Pleated Filter Cartridge 5 Micron
WEMPPF-4010	40" Polypropylene Pleated Filter Cartridge 10 Micron
WEMPPF-4020	40" Polypropylene Pleated Filter Cartridge 20 Micron
WEMPPF-4050	40" Polypropylene Pleated Filter Cartridge 50 Micron



Cartridge Filters (3,5,8 or 9 Rounds)

Waterequip cartridge filter consists of the housing and the cartridge elements. It is designed with high precision, mainly used in pretreatment in industries such as sewage water treatment, beverage, food, electronics as well as pure water purification equipment.

Features

- # uPVC material has excellent corrosion resistance
- # Highest working temperature is 45°
- # Inlet & Outlet are featured under the same line connecting with 1½" or 2"
- # The distribution system is from bottom to top
- # Water is well-proportioned with small strik to cartridges & air is easy to be discharged
- # The bottom system is designed together as a whole with the top localizer & closure system
- # Cartridges are easy to be installed, pushed down and closed, preventing leaking inside



WECF-PVC-3R10	3 Round Cartridge Filter 225w x 465h, 10"
WECF-PVC-3R20	3 Round Cartridge Filter 225w x 715h, 20"
WECF-PVC-3R30	3 Round Cartridge Filter 225w x 965h, 30"
WECF-PVC-3R40	3 Round Cartridge Filter 225w x 1215h, 40"
WECF-PVC-5R10	5 Round Cartridge Filter 225w x 465h, 10"
WECF-PVC-5R20	5 Round Cartridge Filter 225w x 715h, 20"
WECF-PVC-5R30	5 Round Cartridge Filter 225w x 965h, 30"
WECF-PVC-5R40	5 Round Cartridge Filter 225w x 1215h, 40"
WECF-PVC-8R10	8 Round Cartridge Filter 315w x 495h, 3" Inlet/Outlet, ½" Drain
WECF-PVC-8R20	8 Round Cartridge Filter 315w x 745h, 3" Inlet/Outlet, ½" Drain
WECF-PVC-8R30	8 Round Cartridge Filter 315w x 995h, 3" Inlet/Outlet, ½" Drain
WECF-PVC-8R40	8 Round Cartridge Filter 315w x 1245h, 3" Inlet/Outlet, ½" Drain
WECF-PVC-9R10	9 Round Cartridge Filter 315w x 495h, 3" Inlet/Outlet, ½" Drain
WECF-PVC-9R20	9 Round Cartridge Filter 315w x 745h, 3" Inlet/Outlet, ½" Drain
WECF-PVC-9R30	9 Round Cartridge Filter 315w x 995h, 3" Inlet/Outlet, ½" Drain
WECF-PVC-9R40	9 Round Cartridge Filter 315w x 1245h, 3" Inlet/Outlet, ½" Drain



Stainless Steel Multi-Cartridge Filter Housings

Waterequip offers high quality bag filter housings in both SS304 and SS316 for use in commercial and industrial water filtration as well as purification systems. With a wide range of sizes and flow capacities we can offer a number of options to satisfy your requirements.

Features

- # Accepts SOE Flat Closed End, SOE Fin Closed End or Doe Style Filter Cartridges
- # V-Clamp/Eye Bolt Flange allows quick, easy cartridge change out
- # SS316 materials of construction for maximum corrosion resistance
- # Matt finishing (standard) Electropolishing is optional
- # Shell O'Ring : EPDM (standard), Viton, Teflon encapsulated viton
- # Maximum working pressure : 150PSI
- # Working temperature : 4-60°C



BT Series Side Entry Filter Housings

WECF-SS-5R20040	SS Side Entry Filter Housing, 200w x 1100h, 1½" Inlet/Outlet, 5 Cartridges, 20"
WECF-SS-5R30050	SS Side Entry Filter Housing, 200w x 1350h, 2" Inlet/Outlet, 5 Cartridges, 30"
WECF-SS-7R20040	SS Side Entry Filter Housing, 230w x 1100h, 1½" Inlet/Outlet, 7 Cartridges, 20"
WECF-SS-7R30050	SS Side Entry Filter Housing, 230w x 1350h, 2" Inlet/Outlet, 7 Cartridges, 30"
WECF-SS-12R20050	SS Side Entry Filter Housing, 300w x 1200h, 2" Inlet/Outlet, 12 Cartridges, 20"
WECF-SS-12R30050	SS Side Entry Filter Housing, 300w x 1400h, 2" Inlet/Outlet, 12 Cartridges, 30"
WECF-SS-12R40075	SS Side Entry Filter Housing, 300w x 1650h, 2½" Inlet/Outlet, 12 Cartridges, 40"
WECF-SS-15R30075	SS Side Entry Filter Housing, 350w x 1500h, 2½" Inlet/Outlet, 15 Cartridges, 30"
WECF-SS-15R40080	SS Side Entry Filter Housing, 350w x 1700h, 3" Inlet/Outlet, 15 Cartridges, 40"
WECF-SS-20R30080	SS Side Entry Filter Housing, 400w x 1550h, 3" Inlet/Outlet, 20 Cartridges, 30"
WECF-SS-20R40080	SS Side Entry Filter Housing, 400w x 1750h, 3" Inlet/Outlet, 20 Cartridges, 40"



WECF-SS-25R40080	SS Side Entry Filter Housing, 450w x 1850h, 3" Inlet/Outlet, 25 Cartridges, 40"
WECF-SS-30R40100	SS Side Entry Filter Housing, 500w x 1900h, 4" Inlet/Outlet, 30 Cartridges, 40"
WECF-SS-40R40100	SS Side Entry Filter Housing, 550w x 2050h, 4" Inlet/Outlet, 40 Cartridges, 40"
WECF-SS-45R40140	SS Side Entry Filter Housing, 600w x 2200h, 5" Inlet/Outlet, 45 Cartridges, 40"
WECF-SS-50R40140	SS Side Entry Filter Housing, 700w x 2200h, 5" Inlet/Outlet, 50 Cartridges, 40"
WECF-SS-60R40168	SS Side Entry Filter Housing, 700w x 2200h, 6" Inlet/Outlet, 60 Cartridges, 40"
WECF-SS-70R40168	SS Side Entry Filter Housing, 800w x 2300h, 6" Inlet/Outlet, 70 Cartridges, 40"
WECF-SS-80R40168	SS Side Entry Filter Housing, 800w x 2300h, 6" Inlet/Outlet, 80 Cartridges, 40"
WECF-SS-90R40168	SS Side Entry Filter Housing, 900w x 2500h, 6" Inlet/Outlet, 90 Cartridges, 40"
WECF-SS-100R40168	SS Side Entry Filter Housing, 1000w x 2750h, 6" Inlet/Outlet, 100 Cartridges, 40"
WECF-SS-120R40168	SS Side Entry Filter Housing, 1000w x 2750h, 6" Inlet/Outlet, 120 Cartridges, 40"



SD Series Side Entry Filter Housings

WECF-SSSE-5R20040	SS Side Entry Filter Housing, 200w x 1000h, 1½" Inlet/Outlet, 5 Cartridges, 20"
WECF-SSSE-5R30050	SS Side Entry Filter Housing, 200w x 1200h, 2" Inlet/Outlet, 5 Cartridges, 30"
WECF-SSSE-7R20040	SS Side Entry Filter Housing, 230w x 1000h, 1½" Inlet/Outlet, 7 Cartridges, 20"
WECF-SSSE-7R30050	SS Side Entry Filter Housing, 230w x 1200h, 2" Inlet/Outlet, 7 Cartridges, 30"
WECF-SSSE-12R20050	SS Side Entry Filter Housing, 300w x 1050h, 2" Inlet/Outlet, 12 Cartridges, 20"
WECF-SSSE-12R30050	SS Side Entry Filter Housing, 300w x 1300h, 2" Inlet/Outlet, 12 Cartridges, 30"
WECF-SSSE-12R40075	SS Side Entry Filter Housing, 300w x 1600h, 2½" Inlet/Outlet, 12 Cartridges, 40"
WECF-SSSE-15R30075	SS Side Entry Filter Housing, 350w x 1400h, 2½" Inlet/Outlet, 15 Cartridges, 30"
WECF-SSSE-15R40080	SS Side Entry Filter Housing, 350w x 1600h, 3" Inlet/Outlet, 15 Cartridges, 40"
WECF-SSSE-20R30080	SS Side Entry Filter Housing, 400w x 1450h, 3" Inlet/Outlet, 20 Cartridges, 30"
WECF-SSSE-20R40080	SS Side Entry Filter Housing, 400w x 1650h, 3" Inlet/Outlet, 20 Cartridges, 40"



WECF-SSSE-25R40080	SS Side Entry Filter Housing, 450w x 1750h, 3" Inlet/Outlet, 25 Cartridges, 40"
WECF-SSSE-30R40100	SS Side Entry Filter Housing, 500w x 1800h, 4" Inlet/Outlet, 30 Cartridges, 40"
WECF-SSSE-40R40100	SS Side Entry Filter Housing, 550w x 1950h, 4" Inlet/Outlet, 40 Cartridges, 40"
WECF-SSSE-45R40140	SS Side Entry Filter Housing, 600w x 2160h, 5" Inlet/Outlet, 45 Cartridges, 40"
WECF-SSSE-50R40140	SS Side Entry Filter Housing, 700w x 2200h, 5" Inlet/Outlet, 50 Cartridges, 40"
WECF-SSSE-60R40168	SS Side Entry Filter Housing, 700w x 2200h, 6" Inlet/Outlet, 60 Cartridges, 40"
WECF-SSSE-70R40168	SS Side Entry Filter Housing, 800w x 2200h, 6" Inlet/Outlet, 70 Cartridges, 40"
WECF-SSSE-80R40168	SS Side Entry Filter Housing, 800w x 2200h, 6" Inlet/Outlet, 80 Cartridges, 40"
WECF-SSSE-90R40168	SS Side Entry Filter Housing, 900w x 2400h, 8" Inlet/Outlet, 90 Cartridges, 40"
WECF-SSSE-100R40168	SS Side Entry Filter Housing, 1000w x 2650h, 8" Inlet/Outlet, 100 Cartridges, 40"
WECF-SSSE-120R40168	SS Side Entry Filter Housing, 1000w x 2650h, 8" Inlet/Outlet, 120 Cartridges, 40"



Bag Filters & Housings

Waterequip offers a high precision, big flow, easy installation and easy maintenance bag filter system. It is widely used in different industries including foods, cosmetics, chemistry, medicine and textiles. The bag filter system consists of the housing, support basket and the filter bag.

Features

- # uPVC material has excellent corrosion resistance
- # The unique seal system makes the filter more secure
- # It can prevent the bag from being plunged into the support basket, thus no inner leak
- # Fantastic appearance & compact inner construct
- # High precision so the filter range can be from 0.5-200um
- # High efficiency, quick flow of liquid, big capacity of impurity
- # Price is very competitive



WEBFH-PVC-1

uPVC Bag Filter 225w x 820h, ANSI 150 Flanged Inlet/Outlet, 665mm Housing, Bag 1#, Flow 20m³/h

WEBFH-PVC-2

uPVC Bag Filter 225w x 1200h, ANSI 150 Flanged Inlet/Outlet, 1045mm Housing, Bag 2#, Flow 40m³/h

High Flow Filters

Waterequip high flow filter systems are used in applications such as sewage, wastewater, desalination, electronics and other industries. The PF filter system is featured with high flow, long service life and good operation of complex liquids. The filter system consists of the housing and the cartridge.

Features

- # uPVC material has excellent corrosion resistance
- # Flow is more than other cartridges
- # Longer service life, up to 3 times that of others
- # Handle design means the cartridge replacement is easier



WEBFH-PVC-HF25

uPVC High Flow Filter, 225w x 1006h, ANSI 150 Flanged Inlet/Outlet, 25m³/h

WEBFH-PVC-HF50

uPVC High Flow Filter, 225w x 1506h, ANSI 150 Flanged Inlet/Outlet, 50m³/h

Stainless Steel Single Bag Filter Housings

Waterequip offers high quality bag filter housings in both SS304 and SS316 for use in commercial and industrial water filtration as well as purification systems. With a wide range of sizes and flow capacities we can offer a number of options to satisfy your requirements.

Features

- # Side inlet piping connection
- # Unique 2-weld design
- # Buna N Seals as standard
- # Electro polishing stainless steel perforated basket
- # 1", 1½" & 2" GB, ANSI 150 or DIN flanged connections
- # Maximum operating pressure 150PSI
- # Maximum operating temperature 150°C
- # Adjustable mounting legs
- # 304 or 316 stainless steel construction



WEBFH-SS-1

SS Side Entry Filter Housing With Eye-Bolt Flange, 1½" Flange Connection, #1 Bag Filter 20m³3Hr

WEBFH-SS-2

SS Side Entry Filter Housing With Eye-Bolt Flange, 2" Flange Connection, #2 Bag Filter 40m³3Hr

Bag Filters

Filter bags are used in conjunction with bag filter housings to offer high flow rates and high surface area filtration. Waterequip offers a wide range of bag filter options to suit most applications

Features

- # Higher dirt holding capacity
- # Polypropylene materials are FDA listed and accepted in the food process industry
- # 100% seam welded

Bag Filters

WEBF101	Polypropylene #1 Bag Filter, 178mm x 418mm, 1 Micron
WEBF105	Polypropylene #1 Bag Filter, 178mm x 418mm, 5 Micron
WEBF110	Polypropylene #1 Bag Filter, 178mm x 418mm, 10 Micron
WEBF125	Polypropylene #1 Bag Filter, 178mm x 418mm, 25 Micron
WEBF150	Polypropylene #1 Bag Filter, 178mm x 418mm, 50 Micron
WEBF1100	Polypropylene #1 Bag Filter, 178mm x 418mm, 100 Micron
WEBF1200	Polypropylene #1 Bag Filter, 178mm x 418mm, 200 Micron

WEBF201	Polypropylene #2 Bag Filter, 178mm x 813mm, 1 Micron
WEBF205	Polypropylene #2 Bag Filter, 178mm x 813mm, 5 Micron
WEBF210	Polypropylene #2 Bag Filter, 178mm x 813mm, 10 Micron
WEBF225	Polypropylene #2 Bag Filter, 178mm x 813mm, 25 Micron
WEBF250	Polypropylene #2 Bag Filter, 178mm x 813mm, 50 Micron
WEBF2100	Polypropylene #2 Bag Filter, 178mm x 813mm, 100 Micron
WEBF2200	Polypropylene #2 Bag Filter, 178mm x 813mm, 200 Micron

Polypropylene #3 & #4 Bag Filters Available On Request



PRF-RO

The PRF-RO is a compact designed, high output reverse osmosis system with on-demand, continuous flow that does not require a storage tank and functions on line pressure without the use of pumps or electricity. This system features a consistent membrane efficiency with high recovery. The PRF-RO is made from high impact plastic construction with compact and sleek styling in mind.

PRF Operating Conditions:

Inlet Pressure: 40 - 80psi (2.76 - 5.52 bar)
Inlet Temperature: 4°C - 38°C
Inlet TDS: 50mg/L - 2000mg/L
Inlet Hardness: 0mg/L - 171mg/L
Flow Rate: 1.5LPM (2160Litres per day)

Inlet Chlorine: 0mg/L - 1.0mg/L
Inlet Iron: 0mg/L - 0.1mg/L
Inlet Manganese: 0mg/L - 0.05mg/L

Rejection: 92%



WEPRFRO PRF-RO unit comes complete with 2 membrane Elements, Pre-Filter, Install kit & tubing

Membrane & Filters Spares:

WE4000569	Membrane to suit PRF-RO, Merlin and Mod Pro systems
WE3038333	Carbon Pre-Filter to suit PRF-RO, Merlin
WE1266690	Sediment Pre-Filter

Spares:

WE4000330	Fittings & Locking Bar Install Kit
WE1255736	Tubing Install Kit
WE4000454	Conversion Upgrade Kit (Merlin to PRF-RO)
WE4000445	Manifold Kit for PRF-RO
WE3038021	Support Leg to suit PRF-RO
WE1239705	Sump Housing to suit Merlin & PRF-RO
WER1240326	Sump O-Ring
WE3038026	Locking Bar to suit PRF-RO
WE3035306	3/8" Drain Disconnect Elbow (Black)
WE3035307	1/2" Feed Disconnect Elbow (White)
WE3035305	3/8" Permeate Disconnect Elbow (Blue)
WE3020487	Airgap Faucet



In / Out Tank Heads

WE-H9901020	In / Out Head with ¾" Ports To Suit 2½" Top Opening Tanks, 1.05 Riser <i>(No Screen)</i>
WE-H9901025	In / Out Head with 1" Ports To Suit 2½" Top Opening Tanks, 1.05 Riser <i>(with Bayonet screen option)</i>
WE-H9901FT025	In / Out Flat Top Head with 1" Ports To Suit 2½" Top Opening Tanks, 1.05 Riser <i>(with Bayonet screen option)</i>
WE-H9902	In / Out Head with 2" Ports to suit 4" Tank <i>(No Screen)</i>
WE-H990R	In / Out Head O'Ring
WEMFV25	Manual Backwash Filter Valve with 1" Ports
WEMFVR25	Manual Backwash Filter Valve with 1" Ports
WEMFV4	Manual Backwash Filter Valve with 2" Ports To Suit 4" Tank Opening



Autotrol Valves

Engineered to produce optimum performance and long service life, Autotrol valves offered by Waterequip are of the highest quality. Constructed with practicality in mind, these valves are able to be installed quickly and serviced efficiently meaning simple as well as reliable performing characteristics. The thermoplastic resin provides exceptional corrosion resistance and precision fit components. The Pentair brand offers up to date technologies and industry experience, thus providing the water treatment professional with a product they can trust.



Autotrol Valves

WE255-742	255 Valve 742 TC LOGIX Control
WE255-762	255 Valve 762 MP Logix Control
WE268-742	268 Valve 742 Electronic Time Clock, Logix Control
WE268-762	268 Valve 762
WE268FA-762	268FA/762 MP LOGIX Control
WE263-742F	263 Valve 742-12v LOGIX Time Clock Control, Plugged Backwash
WE263-762F	263 Valve 762F-12v MP Logix Control, Plugged Backwash
WE278-742	278 Valve 742 LOGIX Time Clock Control, Plugged Backwash
WE278-762	278 Valve 762 MP LOGIX Control, Plugged Backwash
WE293-742NHWB	293 Magnum Filter, Valve 742 LOGIX Control, 2" Valve, 764F Control, No Untreated Water Bypass
WE293-742HWB	293 Magnum Filter, 2" Valve, 764F Control, With Untreated Water Bypass
WE298-742NUB	298 Magnum, 2" Softener Valve, 742 Timeclock Control, No Hardwater Bypass
WE298-742HWB	298 Magnum, 2" Softener Valve, 742 Timeclock Control, With Bypass
WE298-764L-NUB	Magnum 2" Softener Valve, 764L Multi-Single 12v MP, No Bypass w/Internal Turbine
WE298-764L-HWB	Magnum 2" Softener Valve, 764L Multi-Single 12v MP, With Bypass w/Internal Turbine



WE255-764TA	255 Twin Alternating Softener Valve 764 Logix Control
WE278-764TA	278 Twin Alternating Softener Valve 764 Logix Control, Plugged Backwash
WE298-764TA	298 Magnum Twin Alternating Softener, 2" Valves, 764T Control, No Bypass
WE293-764F	293 Magnum Filter, Twin Alternating, 2" Valve, 764F MP Control, No Bypass

Autotrol Valve Spare Parts

WE1040769	256 Bypass (Fits 255 Units)
WE1040930	1265 Bypass (Fits All Performa Valves)

WE1035730	E Injector With O'Rings 6" Tank, Yellow
WE1035731	F Injector With O'Rings 7" Tank, Peach
WE1035732	G Injector With O'Rings 8" Tank, Tan
WE1035733	H Injector With O'Rings 9" Tank, Light Purple
WE1035734	J Injector With O'Rings 10" Tank, Light Blue
WE1035735	K Injector With O'Rings 11" Tank, Pink
WE1035736	L Injector With O'Rings 12" Tank, Orange
WE1035738	N Injector, With O'Rings 16" Tank, Green
WE1035739	Q Injector, With O'Rings 18" Tank, Purple
WE1035884	R Injector, With O'Ring 21" Tank, Grey

WE1000209	Backwash Assembly #7 1.2GPM
WE1000210	Backwash Assembly #8 1.5GPM
WE1000211	Backwash Assembly #9 2.2GPM
WE1000212	Backwash Assembly #10 2.7GPM
WE1000213	Backwash Assembly #12 3.9GPM
WE1000214	Backwash Assembly #13 4.5GPM
WE1000215	Backwash Assembly #14 5.3GPM
WE1000269	Blank Cap With O'Ring

WE1244650	255 Valve Assembly W/O Flow Control, Logix
WE1010154	O'Ring, Tank Adaptor
WE1232370	O'Ring, Riser Tube, -318, EP
WE1235340	Top Plate, 255 Valve, Logix
WE1235341	Spring, One Piece, 253/255 Logix Valve
WE1001404	Tank Adaptor O'Ring Kit
WE1040459	Manifold O'Ring Kit
WE1001986	13/16" To 1" Riser Adaptor
WE1234170	Lock Bar Screw, #8-18 .56" Self Tap
WE1235353	Cam, 253/255 Logix Valve, STD, Black
WE1236251	Cam, 255 Logix Valve, Twin, Tan
WE3019221	Motor/Optical Cable/Sensor Logix
WE1000226	Screen/Cap Assembly With O'Ring
WE1243510	Refill Control, .33GPM Cone Style
WE1030502	Ball, Flow Control
WE1032416	Air Check Kit, 3/8" Male
WE1032417	Air Check Kit, 1/4" Male
WE1030528	Ball, Air Check
WE1235446	Turbine Cable, 23" Logix
WE1233187	Motor Locking Pin, Logix
WE1032350	Turbine Assembly 255 Including Install Kit
WE1040524	Plastic Piping Boss Manifold & Bypass Install Kit for 255 Valve
WE1239752	Kit, Aux Switch, Front MTD, 5 Amp, Logix
WE1239754	Kit, Aux Switch, Side MTD, 5 Amp, Logix
WE1000250	Valve Disk Kit, 255
WE1000812	12v Transforma 50Hz
WE1031402	Locking Bar, English
WE1033784	255 Tank Adaptor New Style
WE462088	1/2" Female Drain Fitting, Elbow To Suit 255 Valve
WE1040283	3/4" In/Out x 1/2" Drain Female Piping Boss Assembly
WE1234255	1" In/Out x 1/2" Drain Male Piping Boss Assembly
WE1001604	3/4" BSPT ABS Plastic Threaded Pipe Adaptor Kit
WE1001605	1" BSPT ABS Plastic Threaded Pipe Adaptor Kit
WE3023824	3/4" BSPT Stainless Steel Adaptor Kit
WE3023807	1" BSPT Stainless Steel Adaptor Kit
WE1034385	3/4" & 1" Nut For Pipe Adaptors
WE1001421	3/4" BSPT Plastic Pipe Adaptor
WE1001422	1" BSPT Plastic Pipe Adaptor
WE1030578	3/4" cPVC Adaptor
WE1030579	1" cPVC Adaptor
WE3013737	3/4" Stainless Steel Adaptor
WE3013736	1" Stainless Steel Adaptor
WE1030541	Gasket
WE1040021	210 Turbulator 1.05" Riser



Performa 263/268/273/278 Parts

WE1030355	Assembly, Flow Control, Drain, 5GPM - External
WE1030356	Assembly, Flow Control, Drain, 6GPM - External
WE1030357	Assembly, Flow Control, Drain, 7GPM - External
WE1030358	Assembly, Flow Control, Drain, 8GPM - External
WE1030359	Assembly, Flow Control, Drain, 9GPM - External
WE1030360	Assembly, Flow Control, Drain, 10GPM - External
WE1000406	Assembly, Flow Control, Drain, 12GPM - External
WE1000407	Assembly, Flow Control, Drain, 15GPM - External
WE1000409	Assembly, Flow Control, Drain, 20GPM - External
WE1244651	Valve Assembly W/O Flow Control, 263/268
WE1236246	Cover, 255/Performa, Logix
WE1237406	Cam, 273/278 Performa Logix Valve, Twin, Tan
WE1270159	Valve Assembly W/O Flow Control 273/278
WE1235338	Top Plate, Performa 263/268/278, Logix
WE1235339	Spring, 1PC, 263-278 Valve
WE1235352	Cam, 263/268 Performa Logix Valve, STD, Black
WE1237405	Cam, 273/278 Performa Logix Valve, STD, Brown
WE1000222	Refill Controller, No Ball, .33GPM
WE1030334	Plugged Brine Refill Control, 263/273
WE1232370	O'Ring, Riser Tube, -318, EP
WE1010154	O'Ring Tank Adapter, -388,EP
WE1035622	Performa Tank Ring
WE1033444	Turbine Assembly, Internal
WE1041174	Valve Disc Kit
WE3EL3412F	¾" BSPF x ½" Hosetail Drain Line Elbow

Magnum Parts

WE1000366	Magnum Drain/NHWBP, Assembly, Cart, Valve-SGL
WE1000365	Rinse Valve Cartridge
WE1000317	Inlet Valve Cartridge
WE1000336	Unfiltered Water Bypass Cap
WE1040670	Injector For 14" Tank, Magnum
WE1040671	Injector For 16" Tank, Magnum
WE1040672	Injector For 18" Tank, Magnum
WE1040673	Injector For 21" Tank, Magnum
WE1040674	Injector For 24" Tank, Magnum
WE1040675	Injector For 30" Tank, Magnum
WE1040676	Injector For 36" Tank, Magnum
WE1040669	Blank Injector For Magnum
WE1040677	Injector Assembly (Less Injector)
WE1040678	Kit, Injector Screen, Magnum CV
WE1040688	Cap For Injector, Refill, With O'Ring
WE1040687	Refill Assembly, Magnum
WE1040686	3 Pack Cage, Flow Washer, Mag
WE1040679	Refill Flow Control For 14" Tank
WE1040680	Refill Flow Control For 16" Tank
WE1040681	Refill Flow Control For 18" Tank
WE1040682	Refill Flow Control For 21" Tank
WE1040683	Refill Flow Control For 24" Tank
WE1040684	Refill Flow Control For 30" Tank
WE1040685	Refill Flow Control For 36" Tank
WE3023849	Magnum IT Adaptor Kit, 2" BSP, Stainless
WE1040784	Magnum IT Adaptor Kit, 2" cPVC
WE1040720	5 GPM Flow Control Disk With Inserts
WE1040722	7 GPM Flow Control Disk With Inserts
WE1040724	9 GPM Flow Control Disk With Inserts
WE1040727	12 GPM Flow Control Disk With Inserts
WE1040740	15 GPM Flow Control Disk With Inserts
WE1040745	20 GPM Flow Control Disk With Inserts
WE1040730	25 GPM Flow Control Disk With Inserts
WE1040735	30 GPM Flow Control Disk With Inserts
WE1040750	35 GPM Flow Control Disk With Inserts
WE1040755	40 GPM Flow Control Disk With Inserts

WE1000343	Cam Cover
WE1001751	Logix Magnum Camshaft
WE1010162	O'Ring, Tank Adaptor To Tank, -347, EP
WE1010160	O'Ring, -225, EP
WE1040691	Magnum O'Ring Kit
WE1040920	Magnum 2" NPT Side Mount Adaptor
WE1000339	Magnum Top Plate
WE1009115	1½" Top Stack Distributor For Magnum IT - Logix
WE1041064	Break Away Cam Kit For Aux Output, Configurable
WE1040692	Flapper Kit (Pilot & Brine)
WE1001580	Valve Spring (IND)
WE1232965	Turbine Assembly, Magnum IT - Internal
WE1040668	External Pilot Feed Adaptor
WE1000589	Pillow Block Cap, "U" Cam

WE1263718	Logix Wall Mount Kit, Includes 10 Foot Cable
WE1244336	No Salt Detector/Chlorine Generator Kit
WE1239979	Remote Regen Cable
WE3020228	Kit, Remote Start/Lockout, Logix Twin/Multi Tanks
WE3016715	Sensor Y-Cable Assembly, Logix Twin
WE3016775	Twin Extension Cable, 9.6", Logix 764

Logix Timer & Micro-Processor Controls

WE1242147	Logix 740 Softener Time Clock Control (World Timer 50Hz)
WE1242149	Logix 740F Filter Time Clock Control (World Timer 50Hz)
WE1242151	Logix 742 Softener Time Clock Control (World Timer 50Hz)
WE1265829	Logix 742F Filter Time Clock Control (World Timer 50Hz)
WE1242169	Logix 762 Softener MP Control (World Timer 50Hz)
WE1265831	Logix 762F Filter MP Control (World Timer 50Hz)
WE3022346	Logix 764 Softener MP Control for 255-278 Twin Valve Systems (World Timer 50Hz)
WE1254886	Logix Remote/Secondary Blank Control for Twin Systems
WE1242151	Logix 742 Softener Time Clock Control (World Timer 50Hz)
WE1265829	Logix 742F Filter Time Clock Control (World Timer 50Hz)
WE3022348	Logix 764 Softener MP Control for Magnum 298 Twin Systems (World Timer 50Hz)
WE1254886	Logix Remote/Secondary Blank Control for Twin Systems

FRP Pressure Vessel Tank

Waterequip's range of high quality FRP water treatment vessels utilise PE or FRP liner and are suitable for residential, commercial and industrial softening and filtering systems. With perfect performance and corrosion resistance, the vessels can be sufficiently equipped with mechanical control valves to meet the expectations and requirements of our clients.

- # Filament wound with epoxy resin
- # Full choice of pressure vessels available up to 73" Diameter with 94" height
- # Top & Bottom Openings available for 16" through to 63" Tanks
- # Maximum Operating Pressure : 150PSI
- # Maximum Operating Temperature : 49°C
- # 100% Corrosion resistant
- # Burst Pressure : 600PSI
- # Fatigue Cycle : 100,000 Times
- # Low Installation & maintenance



FRP Pressure Tanks

WE0717FRP25	7" x 17" Blue FRP Tank with 2½" Top Opening, 150PSI (10Bar), 8.5L
WE0735FRP25	7" x 35" Blue FRP Tank with 2½" Top Opening, 150PSI (10Bar), 19.1L
WE0835FRP25	8" x 35" Blue FRP Tank with 2½" Top Opening, 150PSI (10Bar), 23.6L
WE0844FRP25	8" x 44" Blue FRP Tank with 2½" Top Opening, 150PSI (10Bar), 31.3L
WE0917FRP25	9" x 17" Blue FRP Tank with 2½" Top Opening, 150PSI (10Bar), 13.2L
WE0935FRP25	9" x 35" Blue FRP Tank with 2½" Top Opening, 150PSI (10Bar), 31.4L
WE0948FRP25	9" x 48" Blue FRP Tank with 2½" Top Opening, 150PSI (10Bar), 44.6L
WE1017FRP25	10" x 17" Blue FRP Tank with 2½" Top Opening, 150PSI (10Bar), 16.5L
WE1035FRP25	10" x 35" Blue FRP Tank with 2½" Top Opening, 150PSI (10Bar), 38.6L
WE1054FRP25	10" x 54" Blue FRP Tank with 2½" Top Opening, 150PSI (10Bar), 62L
WE1252FRP25	12" x 52" Blue FRP Tank with 2½" Top Opening, 150PSI (10Bar), 84.8L
WE1354FRP25	13" x 54" Blue FRP Tank with 2½" Top Opening, 150PSI (10Bar), 104L
WE1465FRP25	14" x 65" Blue FRP Tank with 2½" Top Opening, 150PSI (10Bar), 145.6L
WE1665FRP25	16" x 65" Blue FRP Tank with 2½" Top Opening, 150PSI (10Bar), 187.7L



WE1465FRP4T	14" x 65" Blue FRP Tank with 4" Top Opening, 150PSI (10Bar), 145.6L
WE1665FRP4T	16" x 65" Blue FRP Tank with 4" Top Opening, 150PSI (10Bar), 187.7L
WE1865FRP4T	18" x 65" Blue FRP Tank with 4" Top Opening, 150PSI (10Bar), 237L
WE1865FRP4TB	18" x 65" Blue FRP Tank with 4" Top & Bottom Opening, 150PSI (10Bar), 237L
WE2162FRP4T	21" x 62" Blue FRP Tank with 4" Top Opening, 150PSI (10Bar), 312L
WE2162FRP4TB	21" x 62" Blue FRP Tank with 4" Top & Bottom Opening, 150PSI (10Bar), 312L
WE2472FRP4T	24" x 72" Blue FRP Tank with 4" Top Opening, 150PSI (10Bar), 471L
WE2472FRP4TB	24" x 72" Blue FRP Tank with 4" Top & Bottom Opening, 150PSI (10Bar), 471L
WE3072FRP4T	30" x 72" Blue FRP Tank with 4" Top Opening, 150PSI (10Bar), 728L
WE3072FRP4TB	30" x 72" Blue FRP Tank with 4" Top & Bottom Opening, 150PSI (10Bar), 728L
WE3672FRP4T	36" x 72" Blue FRP Tank with 4" Top Opening, 150PSI (10Bar), 1023L
WE3672FRP4TB	36" x 72" Blue FRP Tank with 4" Top & Bottom Opening, 150PSI (10Bar), 1023L



WE3672FRP6TB	36"x72" Blue FRP Tank with 6" Flanged Top & Bottom Opening. 150PSI (10Bar), 1023L
WE4272FRP6TB	42"x72" Blue FRP Tank with 6" Flanged Top & Bottom Opening. 150PSI (10Bar), 1389L
WE4872FRP6TB	48"x72" Blue FRP Tank with 6" Flanged Top & Bottom Opening. 150PSI (10Bar), 1743L
WE6086FRP6TB	60"x86" Blue FRP Tank with 6" Flanged Top & Bottom Opening. 150PSI (10Bar), 3179L
WE6370FRP6TB	63"x70" Blue FRP Tank with 6" Flanged Top & Bottom Opening. 150PSI (10Bar), 2580L
WE6386FRP6TB	63"x86" Blue FRP Tank with 6" Flanged Top & Bottom Opening. 150PSI (10Bar), 3500L

Distributors for Commercial / Industrial Systems




WEH-2805	Bayonet Top Screen to suit 1.05" Riser
WEH-1316T	Bayonet Top Screen to suit 13/16" Riser (D1203-01)
WEH-1316B	Bottom Distributor Basket to suit 13/16" Riser (D1203-01)
WEH-2807	Bottom Distributor Basket to suit 1.05 Riser
WEH-2810	Bottom Distributor Stack to suit 1.05 Riser
WE1040021	210 Turbulator 1.050" Riser
WEH-2808	Bottom Stack Distributor to suit 1½" Riser



WERT-1316-72	13/16" Riser Tube 72" Long
WERT-020-1M	¾" x 1 Meter Long Riser Tube (1.05")
WERT-020-2M	¾" x 2 Meter Long Riser Tube (1.05")
WERT-040-1M	1½" x 1 Meter Long Riser Tube
WERT-040-2M	1½" x 2 Meter Long Riser Tube
WERT-050-1M	2" x 1 Meter Long Riser Tube
WERT-050-2M	2" x 2 Meter Long Riser Tube

Hub & Lateral & Distributor Assemblies for FRP Pressure Vessels

WEHU-6260L	1½" Top Mount Hub & Lateral to suits 14/16" Tank with 4"Top Opening
WEHU-6370L	1½" Top Mount Hub & Lateral to suits 18/21" Tank with 4"Top Opening
WEHU-6450L	1½" Top Mount Hub & Lateral to suits 24" Tank with 4"Top Opening
WEHU-6600L	1½" Top Mount Hub & Lateral to suits 30" Tank with 4"Top Opening
WEHU-6700L	1½" Top Mount Hub & Lateral to suits 36" Tank with 4"Top Opening
WEHU-6450L	2" Top Mount Hub & Lateral to suits 24" Tank with 4"Top Opening
WEHU-6600L	2" Top Mount Hub & Lateral to suits 30" Tank with 4"Top Opening
WEHU-6700L	2" Top Mount Hub & Lateral to suits 36" Tank with 4"Top Opening
WEHD-6370L	2"Bottom Mount Hub & Lateral to suit 21"Tank with 4"Bottom Opening
WEHD-6450L	2"Bottom Mount Hub & Lateral to suit 24"Tank with 4"Bottom Opening
WEHD-6600L	2"Bottom Mount Hub & Lateral to suit 30"Tank with 4"Bottom Opening
WEHD-6700L	2"Bottom Mount Hub & Lateral to suit 36"Tank with 4"Bottom Opening
WEH-5671	2" Top Diffuser to suit 14-30" Tanks with 4"Top Opening
WEH-5671L	2" Top Diffuser to suit 36-48" Tanks with 4"Top Opening
WEHU-8256-1	3" Top Mount Hub & Lateral to suit 30"Tank with 6"Flange Top Opening
WEHU-8318-1	3" Top Mount Hub & Lateral to suit 36"Tank with 6"Flange Top Opening
WEHU-8380-1	3" Top Mount Hub & Lateral to suit 42"Tank with 6"Flange Top Opening
WEHU-8445-1	3" Top Mount Hub & Lateral to suit 48"Tank with 6"Flange Top Opening
WEHU-8380-2	3" Top Mount High Flow Hub & Lateral to suit 42" Tank with 6"Flange Top Opening
WEHU-8445-2	3" Top Mount High Flow Hub & Lateral to suit 48" Tank with 6"Flange Top Opening
WEHU-8564L-2	3" Top Mount High Flow Hub & Lateral to suit 63" Tank with 6"Flange Top Opening
WEHD-8256-1	3" Bottom Mount Hub & Lateral to suit 30"Tank with 6"Flanged Top & Bottom Opening
WEHD-8318-1	3" Bottom Mount Hub & Lateral to suit 36"Tank with 6"Flanged Top & Bottom Opening
WEHD-8380-1	3" Bottom Mount Hub & Lateral to suit 42"Tank with 6"Flanged Top & Bottom Opening
WEHD-8445-1	3" Bottom Mount Hub & Lateral to suit 48"Tank with 6"Flanged Top & Bottom Opening
WEHD-8380-2	3" Bottom Mount High Flow Hub & Laterals to suit 42" Tanks with 6"Flanged Top & Bottom Openings
WEHD-8445-2	3" Bottom Mount High Flow Hub & Laterals to suit 48" Tanks with 6"Flanged Top & Bottom Openings
WEHD-8564-2	3" Bottom Mount High Flow Hub & Laterals to suit 63" Tanks with 6"Flanged Top & Bottom Openings
WEH-172	3" Top Diffuser to suit 24-48" Tanks with 6" Flanged Top Opening
WEHD-8180	3" High Flow Top Diffuser to suit 24-63" Tanks with 6" Flanged Top Opening
WEH-5672L	4" Top Diffuser to suit 36-48" Tanks with 4"Top Opening



Adaptors, Closures & Flanges

WEH-9903B	4"Threaded x 2½"-Threaded Tank Adaptor
WEH-9914	4" Tank Threaded Enclosure ABS/PPO
WEH-9904	6" Flange Adaptor to 4" Inner Threaded adaptor to suit Waterequip Tanks
WEH-9913	6" Flange, Closure ABS/PPO



Brine Valves & Tanks

WEBPUST	Brine Pick Up Tube with Strainer to suit 255 valve
WEJTBP038	J-Type Brine Pick Up Tube to suit (Autotrol, Fleck & Clack Valves)(H9909-1)
WEJTBP0-CV60	J-Type Brine Pick Up 60" Tube to suit commercial valves (60009-00)
WE454-1HF	High Flow Brine System to suit 21"-36" Softener (H9906)
WE494BVK	494 High Flow Brine Valve c/w 5x48"Slotted Brine Well Kit

Brine Pick Up's are ordered seperately to suit each application.



WEBT100K	Brine Tank 100L Kit (Round, Cream)
WEBT145K	Brine Tank 145L Kit (Round, Cream)
WEBT200K	Brine Tank 200L Kit (Round, Cream)
WEBT350K	Brine Tank 350L Kit (Round, Natural)
WEBT500K	Brine Tank 500L Kit (Round, Natural)
WEBT1000K	Brine Tank 1000L Kit (Round, Natural)
WEBT2000K	Brine Tank 2000L Kit (Round, Natural)

All Brine Tank Kits c/w Salt Platform, Brine Well, Cap, 2pc Overflow & 2 meters of tubing



WEBWS31228	3½" Slotted Brine Well 28"
WEBWS31236	3¾" Slotted Brine Well 36"
WEBWS31246	3¾" Slotted Brine Well 46"
WEBWS560	5" Slotted Brine Well 60"
WEBWC312	3¾" Brine Well Cap
WEBWC5	5" Brine Well Cap
WEH-1018	2pce Brine Tank Overflow kit



WERO Reverse Osmosis Units

Waterequip are the exclusive agents for the high quality WERO Series Reverse Osmosis Systems. Designed in Australia and manufactured under strict quality controls overseen by Waterequip, they cover a wide production range from 250 l/hr to 3,000 l/h. They feature easy installation, low maintenance and range of spare parts and consumables are in stock. The WERO systems are versatile and come in a range of flow rates and can be customised to suit your application. Waterequip has a range of smaller under sink type systems as well as brackish water and sea water systems. We can tailor a system for you with pre and post filtration systems available to compliment your WERO system.

Standard Features

- # Stainless Steel Frame
- # Thin Film Composite Membranes
- # Stainless Steel RO Vessels Seamless/FRP Housing
- # PLC Control or Standard Basic Controller
- # Power On/Off Switch
- # 1 or 5 Micron Pre-Filter
- # Product Water Flow Meter
- # Concentrate Water Flow Meter
- # Recirculation Standard on 6000 system & Higher
- # High Pressure Pump Inlet & Outlet Pressure Gauges
- # Concentrate Outlet Pressure Gauge
- # Low Pressure Switch
- # High Pressure Switch Option
- # Sch80 Grey uPVC Pipe & Fittings, SS Optional
- # Level Control On/Off
- # Automatic Flush
- # Pre Treatment Interlock



WERO Sizes

WERO-800C	WERO800C 125L/hr C Series
WERO-1500C	WERO1500C 250L/hr C Series - 1 x 4040BW Membrane with ¾" Housing Ports, 1HP Pump, single phase power
WERO-3000C	WERO3000C 500L/hr C Series - 2 x 4040BW Membrane with ¾" Housing Ports, 1HP Pump, single phase power
WERO-6000C	WERO6000C 1000L/hr C Series - 4 x 4040BW Membrane with 1" Housing Ports, 1HP Pump, single phase power
WERO-9000C	WERO9000C 1500L/hr C Series - 6 x 4040BW Membrane with 1" Housing Ports, 3HP Pump, 3 phase power
WERO-12000C	WERO12000C 2000L/hr C Series - 12 x 4040 Membrane with 1" Housing Ports, 3HP Pump, 3 phase power

*** For Detailed Information Including Sizing, Availability & Price Please Contact Our Sales Team**

WERO Reverse Osmosis Membranes

WERO-ULP2540	Brackish Water Low Pressure Membrane 2 1/2" x 40"
WERO-ULP4040	Brackish Water Low Pressure Membrane 4" x 40"
WERO-BW2540	Brackish Water Membranes 2 1/2" x 40"
WERO-BW4040	Brackish Water Membrane 4" x 40"
WERO-SW2540	Sea Water Membrane 2 1/2" x 40"
WERO-SW4040	Sea Water Membrane 4" x 40"

RO Membrane Housings

WERO-4E300-1W	FRP Membrane Housing 4", 300PSI one element end port white
WERO-4E300-2W	FRP Membrane Housing 4", 300PSI two element end port white
WERO-4E300-3W	FRP Membrane Housing 4", 300PSI three element end port white
WERO-4E300-4W	FRP Membrane Housing 4", 300PSI four element end port white
WERO-4E300-5W	FRP Membrane Housing 4", 300PSI five element end port white
WERO-4E300-6W	FRP Membrane Housing 4", 300PSI six element end port white
WERO-4S300-1W	FRP Membrane Housing 4", 300PSI one element side port white
WERO-4S300-2W	FRP Membrane Housing 4", 300PSI two element side port white
WERO-4S300-3W	FRP Membrane Housing 4", 300PSI three element side port white
WERO-4S300-4W	FRP Membrane Housing 4", 300PSI four element side port white
WERO-4S300-5W	FRP Membrane Housing 4", 300PSI five element side port white
WERO-4S300-6W	FRP Membrane Housing 4", 300PSI six element side port white
WERO-8S300-1W	FRP Membrane Housing 8", 300PSI one element side port white
WERO-8S300-2W	FRP Membrane Housing 8", 300PSI two element side port white
WERO-8S300-3W	FRP Membrane Housing 8", 300PSI three element side port white
WERO-8S300-4W	FRP Membrane Housing 8", 300PSI four element side port white
WERO-8S300-5W	FRP Membrane Housing 8", 300PSI five element side port white
WERO-8S300-6W	FRP Membrane Housing 8", 300PSI six element side port white

WERO SPARE PARTS

WERO-SVNC015	1/2" Solenoid Valve, NC, 24V DC
WERO-SVNC020	3/4" Solenoid Valve, NC, 24V DC
WERO-SVNC025	1" Solenoid Valve, NC, 24V DC
WERO-SVNC040	1 1/2" Solenoid Valve, NC, 24V DC
WERO-SVNC020B	3/4" Solenoid Valve, NC, 24V DC
WERO-SVNC025B	1" Solenoid Valve, NC, 24V DC
WERO-CONTROLLER	WERO Program Controller
WERO-PVCU020	WERO Sch80 Grey uPVC Socket Union
WERO-PS-2-14	WERO Pressure Switch 2-14 Bar
WERO-PS-.2-7.5	WERO Pressure Switch 0.2-7.5 Bar
WERO-MH-SS-4040	WERO Membrane Housing SS304 4040
WERO-MH-F-4040	WERO Membrane Housing Fibreglass 4040

MEDIA

WEFMG0	AFM Glass Media, Grade 0, 0.25-0.5mm, 25kg Bag
WEFMG1	AFM Glass Media, Grade 1, 0.4-1mm, 21kg Bag
WEFMG2	AFM Glass Media Grade 2, 1-2mm, 21kg Bag
WEFMG3	AFM Glass Media Grade 3, 2-4mm, 21kg Bag
WEUBG202-3	Underbed Gravel 2mm, 20kg Bag (#6)
WEUBG203-6	Underbed Gravel 3mm-6mm, 20kg Bag (#5)
WEWSS25	Water Softener Salt 25kg Bag
WECOCA25	Acid Washed Coconut Carbon, 20kg Bag
WECOCA25	Acid Washed Coal Carbon, 20kg Bag
MB400	Mixed Bed Resin 50L Drum
WEMB-2	Mixed Bed Resin 25L
NRW3240	Nuclear Grade Mixed Bed Resin 50L drum
WEMB-NR	Nuclear Grade Mixed Bed Resin 25L
WESRLFG25	Food Grade Gel Type Strong Acid Cation Exchange Water Softener Resin 25L
WESRLIG25	Industrial Grade Gel Type Strong Acid Cation Exchange Water Softener Resin 25L
WESRLX1025	Industrial Grade 10% Gel Type Strong High Resistance Acid Cation Exchange Water Softener Resin 25L
WEARLLIG25	Industrial Grade high capacity gel type strong base anion exchange resin 25L
WENEWDEF1	Removal Of Excessive Flouride In Water 25kg Bag
DMI-65	DMI-65 Catalytic Filtration Media 21kg Bag
WECAL20	Calcium Carbonate - White Marble Chip Media 20kg Bag
WEAFC8096	Anthracite Filter Coal 1.3 - 1.4mm 22kg Bag
WEWSRO76	Water Softener Hi-Iron Cleaner - Rust Out Iron Remover 76oz

Other Media Available On Request (Discounts available on quantity orders)

Accessories

Pressure Gauges

PGLM60	0-60PSI 63mm Dial Face , Lower Mount Pressure Gauge
PGLM100	0-100PSI 63mm Dial Face , Lower Mount Pressure Gauge
PGLM160	0-160PSI 63mm Dial Face , Lower Mount Pressure Gauge
PGLM230	0-230PSI 63mm Dial Face , Lower Mount Pressure Gauge
PGLM300	0-300PSI 63mm Dial Face , Lower Mount Pressure Gauge
PGLM600	0-600PSI 63mm Dial Face , Lower Mount Pressure Gauge
PGLM1000	0-1000PSI 63mm Dial Face , Lower Mount Pressure Gauge



PGBM60	0-60PSI 63mm Dial Face Back Mount Pressure Gauge
PGBM100	0-100PSI 63mm Dial Face Back Mount Pressure Gauge
PGBM160	0-160PSI 63mm Dial Face Back Mount Pressure Gauge
PGBM400	0-400PSI 63mm Dial Face Back Mount Pressure Gauge
PGBM600	0-600PSI 63mm Dial Face Back Mount Pressure Gauge
PGBM1000	0-1000PSI 63mm Dial Face Back Mount Pressure Gauge



PGLMV-100	- 100kpa - 0 63mm Dial Face, Lower Mount Vacuum Gauge
-----------	---



GS88	1/4" x 1/4" Stubbe Thermoplastic Gauge Saver
GS815	1/4" x 1/2" Stubbe Thermoplastic Gauge Saver
GS1515	1/2" x 1/2" Stubbe Thermoplastic Gauge Saver

Float Switch



WEFS Float Switch -5m

Flowmeters

FM152-18	½" Acrylic Flowmeter, Panel Mount, SS316 Float, Viton Seals, ½" BSP Thread 2-18l/m
FM152-28	½" Acrylic Flowmeter, Panel Mount, SS316 Float, Viton Seals, ½" BSP Thread 2-28l/m
FM156-34	½" Acrylic Flowmeter, Panel Mount, SS316 Float, Viton Seals, ½" BSP Thread 6-34l/m
FM208-40	¾" Acrylic Flowmeter, Panel Mount, SS316 Float, Viton Seals, ¾" BSP Thread 8-40l/m
FM208-60	¾" Acrylic Flowmeter, Panel Mount, SS316 Float, Viton Seals, ¾" BSP Thread 8-60l/m
FM208-40	¾" Acrylic Flowmeter, Panel Mount, SS316 Float, Viton Seals, ¾" BSP Thread 8-40l/m
FM208-60	¾" Acrylic Flowmeter, Panel Mount, SS316 Float, Viton Seals, ¾" BSP Thread 8-60l/m
FM208-75	¾" Acrylic Flowmeter, Panel Mount, SS316 Float, Viton Seals, ¾" BSP Thread 8-75l/m

FMDFG204-36	¾" Acrylic Flowmeter, Round Type, SS316 Float, Viton Seals, ¾" BSP Thread 4-36l/m
FMDFG254-36	1" Acrylic Flowmeter, Round Type, SS316 Float, Viton Seals, 1" BSP Thread 4-36l/m

FM0151-8	1/2" Grey uPVC Flowmeter 1-8L/h
FM0152-20	1/2" Grey uPVC Flowmeter 2-20L/h
FM01525-250	1/2" Grey uPVC Flowmeter 25-250L/h
FM01560-600	1/2" Grey uPVC Flowmeter 60-600L/h
FM0253-30	1" Grey uPVC Flowmeter 3-30L/h
FM0254-40	1" Grey uPVC Flowmeter 4-40L/h
FM025250-2500	1" Grey uPVC Flowmeter 250-2500L/h
FM050.6-6	2" Grey uPVC Flowmeter 600-6000L/h
FM0501-10	2" Grey uPVC Flowmeter 1000-10000L/h
FM0501.6-16	2" Grey uPVC Flowmeter 1600-16000L/h
FM0755-25	2 1/2" Grey uPVC Flowmeter 5000-25000L/h
FM0758-40	2 1/2" Grey uPVC Flowmeter 8000-40000L/h

Air Release Valves

ARV20	¾" uPVC Air Release Valve
ARV25	1" uPVC Air Release Valve
ARV50	2" uPVC Air Release Valve

Stainless Steel 316 Needle Valves

SSNV08	¼" Stainless Steel 316 Needle Valve
SSNV10	⅜" Stainless Steel 316 Needle Valve
SSNV15	½" Stainless Steel 316 Needle Valve
SSNV20	¾" Stainless Steel 316 Needle Valve
SSNV25	1" Stainless Steel 316 Needle Valve

Pipe Clips & Spacers

PPC010	3/8" Polypropylene Pipe Clip (17.1mm OD Pipe)
PPC015	½" Polypropylene Pipe Clip (21.3mm OD Pipe)
PPC020	¾" Polypropylene Pipe Clip (26.7mm OD Pipe)
PPC025	1" Polypropylene Pipe Clip (33.5mm OD Pipe)
PPC032	1¼" Polypropylene Pipe Clip (42.2mm OD Pipe)
PPC040	1½" Polypropylene Pipe Clip (48.2mm OD Pipe)
PPC050	2" Polypropylene Pipe Clip (60.3mm OD Pipe)
PPC075	2½" Polypropylene Pipe Clip (Suit 75mm OD Pipe)
PPC080	3" Polypropylene Pipe Clip (88.9mm OD Pipe)
PPC100	4" Polypropylene Pipe Clip (114.3mm OD Pipe)
PPC168	6" Polypropylene Pipe Clip (168mm OD Pipe)

PPCS015	½" Polypropylene Pipe Clip Spacer
PPCS020	¾" Polypropylene Pipe Clip Spacer
PPCS025	1" Polypropylene Pipe Clip Spacer
PPCS032	1¼" Polypropylene Pipe Clip Spacer
PPCS040	1½" Polypropylene Pipe Clip Spacer
PPCS050	2" Polypropylene Pipe Clip Spacer
PPCS080	3" Polypropylene Pipe Clip Spacer
PPCS100	4" Polypropylene Pipe Clip Spacer

uPVC Primer & Cement

PVCPRIMER273	273ml uPVC Clear Primer
PVCPRIMER473	473ml uPVC Clear Primer
PVCPRIMER946	946ml uPVC Clear Primer

PVCCEMENT273CL	273ml uPVC Solvent Cement Clear
PVCCEMENT473CL	473ml uPVC Solvent Cement Clear
PVCCEMENT946CL	946ml uPVC Solvent Cement Clear

PVCCEMENT273GR	273ml uPVC Solvent Cement Grey
PVCCEMENT473GR	473ml uPVC Solvent Cement Grey



Unit 5/28 Nevilles Street Underwood Qld 4117
Ph: 07 2104 7973
Sales@waterequip.com.au
PVCCEMENT946GR 946ml uPVC Solvent Cement Grey



WWW.WATEREQUIP.COM.AU



